

PERMITTEE:



ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

SOLID WASTE DISPOSAL FACILITY PERMIT

Integrated Waste Services, LLC.

	_
FACILITY NAME:	Theodore Landfill
FACILITY LOCATION:	A part of the Southwest ¼ of Section 32, Township 5 South, Range 2 West in Mobile County, Alabama. The total permitted area for the landfill is 27.11 acres with the disposal area comprising of 15.00 acres.
PERMIT NUMBER:	49-16
PERMIT TYPE:	Construction/Demolition
WASTE APPROVED FOR DISPOSAL:	Non-putrescible and non-hazardous construction and demolition waste and rubbish as defined by ADEM Rule 335-13-103, scrap tires; and water based drilling mud & drill cuttings from ETT.
APPROVED WASTE VOLUME:	Maximum Average Daily Volume of waste is 572 cubic yards/day
APPROVED SERVICE AREA:	Baldwin and Mobile Counties in Alabama
	of the Solid Wastes Recyclable & Materials Management Act, as 22-27-27 ("SWRMMA"), the Alabama Environmental Management

amended, Code of Alabama 1975, SS 22-27-1 to 22-27-27 ("SWRMMA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, SS 22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to dispose of the above-described solid wastes at the above-described facility location.

ISSUANCE DATE: ??????????

EFFECTIVE DATE: ??????????

EXPIRATION DATE: December 31, 2009

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT SOLID WASTE PERMIT

Permittee:	Integrated Waste Services, LLC 6785 Boykin Road Theodore, AL 36582	
Landfill Name:	Theodore Landfill	
Landfill Location:	A part of the Southwest ¼ of Section 32, Township 5 South, and Range Alabama	2 West in Mobile County,
Permit Number:	49-16	
Landfill Type:	Construction/Demolition	
22-27-27 ("SWRMMA"), Environmental Managem Permittee), to operate a so The Permittee must comp (including those in any at ADEM Administrative Cofor the purpose of Permitten noncompliance on the partissuance of this permit or This permit is based on the dated April 10, 2009, (he found in this information Permittee must inform AI Permittee's ability to com	stes Recyclable & Materials Management Act, as amended, Code of Alab, as amended, and attendant regulations promulgated thereunder by the Alaent (ADEM), this permit is issued to Integrated Waste Services, Inc. (here olid waste disposal facility, known as the Theodore Landfill. By with all terms and conditions of this permit. This permit consists of the tachments), and the applicable regulations contained in Chapters 335-13-10 (hereinafter referred to as the "ADEM Admin. Code"). Rules cited an evereference. Any Rule that is cited incorrectly in this document does not at of the Permittee. Applicable ADEM Administrative Codes are those that any revisions approved after permit issuance. The information submitted in the Landfill Permit Renewal Application and except incorporated by reference and hereinafter referred to as the Applicate could lead to the termination or modification of this permit and potential except of any deviation from or changes in the information in the Application ply with the applicable ADEM Admin. Code or permit conditions. The solution of the Permit Renewal Application and potential except incorporated by reference and hereinafter referred to as the Application of this permit and potential except of any deviation from or changes in the information in the Application ply with the applicable ADEM Admin. Code or permit conditions.	abama Department of cinafter called the e conditions set forth herein through 335-13-9 of the e set forth in this document constitute grounds for at are in effect on the date of the definal Closure Plans ion). Any inaccuracies enforcement action). The on that would affect the
Alabama Department of I	Environmental Management	 Date Signed

SECTION I. STANDARD CONDITIONS

A. Effect of Permit

The Permittee is allowed to dispose of nonhazardous solid waste in accordance with the conditions of this permit and ADEM Admin. Code Div. 13. Issuance of this permit does not convey property rights of any sort or any exclusive privilege, nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of state or local laws or regulations. Except for actions brought under <u>Code of Alabama</u> 1975, Section 22-27-1, *et seq.*, as amended, compliance with the conditions of this permit shall be deemed to be compliance with applicable requirements in effect as of the date of issuance of this permit and any future revisions.

B. Permit Actions

This permit may be suspended, revoked or modified for cause. The filing of a request for a permit modification or the notification of planned changes or anticipated noncompliance on the part of the Permittee, and the suspension or revocation does not stay the applicability or enforceability of any permit condition.

C. Severability

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

D. Definitions

For the purpose of this permit, terms used herein shall have the same meaning as those in ADEM Admin. Code Division 13, unless this permit specifically provides otherwise; where terms are not otherwise defined, the meaning associated with such terms shall be as defined by a standard dictionary reference.

- 1. "EPA" for purposes of this permit means the United States Environmental Protection Agency.
- 2. "Permit Application" for the purposes of this permit, means all permit application forms, design plans, operational plans, closure plans, technical data, reports, specifications, plats, geological and hydrological reports, and other materials which are submitted to the Department in pursuit of a solid waste disposal permit.

E. Duties and Requirements

1. Duty to Comply

The Permittee must comply with all conditions of this permit except to the extent and for the duration such noncompliance is authorized by a variance granted by the Department. Any permit noncompliance, other than noncompliance authorized by a variance, constitutes a violation of <u>Code of Alabama</u> 1975, Section 22-27-1 *et seq.*, as amended, and is grounds for enforcement action, permit suspension, revocation, modification, and/or denial of a permit renewal application.

2. Duty to Reapply

If the Permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the Permittee must apply for and obtain a new permit. The renewal application must be submitted to the Department at least 180 days before this permit expires.

3. Permit Expiration

This permit and all conditions therein will remain in effect beyond the permit's expiration date if the Permittee has submitted a timely, complete application as required by Section I.,E.,2., and, through no fault of the Permittee, the Department has not made a final decision regarding the renewal application.

4. Need to Halt or Reduce Activity Not A Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the conditions of this permit.

5. Duty to Mitigate

In the event of noncompliance with this permit, the Permittee shall take all reasonable steps to minimize releases to the environment, and shall carry out such measures as are reasonable to prevent significant adverse impacts on human health or the environment.

6. Proper Operation and Maintenance

The Permittee shall at all times properly operate and maintain all facilities and systems of control (and related appurtenances) that are installed or used by the Permittee to achieve compliance with the conditions of this permit.

7. Duty to Provide Information

If requested, the Permittee shall furnish to ADEM, within a reasonable time, any information that ADEM may reasonably need to determine whether cause exists for denying, suspending, revoking, or modifying this permit, or to determine compliance with this permit. If requested, the Permittee shall also furnish the Department with copies of records kept as a requirement of this permit.

8. Inspection and Entry

Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the employees of the Department or their authorized representative to:

- a. Enter at reasonable times the Permittee's premises where the regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit.
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit.
- c. Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit.
- d. Sample or monitor, at reasonable times, any substances or parameters at any location for the purposes of assuring permit compliance or as otherwise authorized by <u>Code of Alabama</u> 1975, Section 22-27-1 *et seq*.

9. Monitoring, Corrective Actions, and Records

- a. Samples and measurements taken for the purpose of monitoring or corrective action shall be representative of the monitored activity. The methods used to obtain representative samples to be analyzed must be the appropriate method from Chapter 335-13-4 or the methods as specified in the Application attached hereto and incorporated by reference. Laboratory methods must be those specified in Standard Methods for the Examination of Water and Wastewater (American Public Health Association, latest edition), Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020), Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (EPA Publication SW-846, latest edition), other appropriate EPA methods, or as specified in the Application. All field tests must be conducted using approved EPA test kits and procedures.
- b. The Permittee shall retain records, at the location specified in Section I.,I., of all monitoring, or corrective action information, including all calibration and maintenance records, copies of all reports and records required by this permit, and records of all data used to complete the application for this permit for a period of at least three years from the date of the sample, measurement, report or record or for periods elsewhere specified in this permit. These periods may be extended by the request of the Department at any time and are automatically extended during the course of any unresolved enforcement action regarding this facility.
- c. Records of monitoring and corrective action information shall include.
 - i. The exact place, date, and time of sampling or measurement.
 - $ii. \hspace{0.5cm} \textbf{The individual}(s) \ and \ company \ who \ performed \ the \ sampling \ or \ measurements.$

- iii. The date(s) analyses were performed.
- iv. The individual(s) and company who performed the analyses.
- v. The analytical techniques or methods used.
- vi. The results of such analyses.
- d. The Permittee shall submit all monitoring and corrective action results at the interval specified elsewhere in this permit.

10. Reporting Planned Changes

The Permittee shall notify the Department, in the form of a request for permit modification, at least 90 days prior to any change in the permitted service area, increase in the waste received, or change in the design or operating procedure as described in this permit, including any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

11. Transfer of Permit

This permit may be transferred to a new owner or operator. All requests for transfer of permits shall be in writing and shall be submitted on forms provided by the Department. Before transferring ownership or operation of the facility during its operating life, the Permittee shall notify the new owner or operator in writing of the requirements of this permit.

12. Certification of Construction

The Permittee may not commence disposal of waste in any new cell or phase until the Permittee has submitted to the Department, by certified mail or hand delivery, a letter signed by both the Permittee and a professional engineer stating that the facility has been constructed in compliance with the permit.

The Department must inspect the constructed cells or phases before the owner or operator can commence waste disposal unless the Permittee is notified that the Department will waive the inspection.

13. Compliance Schedules

Reports of compliance or noncompliance with or any progress reports on interim and final requirements contained in any compliance schedule required and approved by the Department shall be submitted no later than 14 days following each schedule date.

14. Other Noncompliance

The Permittee shall report all instances of noncompliance with the permit at the time monitoring reports are submitted.

15. Other Information

If the Permittee becomes aware that information required by the Application was not submitted or was incorrect in the Application or in any report to the Department, the Permittee shall promptly submit such facts or information. In addition, upon request, the Permittee shall furnish to the Department, within a reasonable time, information related to compliance with the permit.

F. Design and Operation of Facility

The Permittee shall maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or nonsudden release of contaminants (including leachate and explosive gases) to air, soil, groundwater, or surface water, which could threaten human health or the environment.

G. Inspection Requirements

1. The Permittee shall comply with all requirements of ADEM Admin. Code Division 13.

- 2. The Permittee shall conduct random inspections of incoming loads.
- 3. Records of all inspections shall be included in the operating record.

H. Recordkeeping and Reporting

- 1. The Permittee shall maintain a written operating record at the location specified in Section I.,1. The operating record shall include:
 - a. Documentation of inspection and maintenance activities.
 - b. Daily Volume reports.
 - c. Personnel training documents and records.
 - d. Solid/Hazardous Waste Determination Forms for Industrial Wastes, and associated ADEM disposal approval correspondence for industrial waste and special waste.
 - e. Groundwater monitoring records.
 - f. Explosive gas monitoring records.
 - g. Copies of this Permit and the Application.
 - h. Copies of all variances granted by the Department, including copies of all approvals of special operating conditions.

2. Quarterly Volume Report

Beginning with the effective date of this permit, the Permittee shall submit, within thirty (30) days after the end of each calendar quarter, a report summarizing the daily waste receipts for the previous (just ended) quarter. Copies of the quarterly reports shall be maintained in the operating record.

3. Monitoring and Corrective Action Reports

The Permittee shall submit reports on all monitoring and corrective activities conducted pursuant to the requirements of this permit, including, but not limited to, groundwater, surface water, explosive gas and leachate monitoring. The groundwater monitoring shall be conducted in March and September of each year, or as directed by the Department, and the reports shall be submitted at least semi-annually, or as directed by the Department. The reports should contain all monitoring results and conclusions from samples and measurements conducted during the sampling period. Explosive gas monitoring must be submitted on an annual basis, and the reports should be submitted to the department and placed in the operating record within 30 days of the monitoring event. Copies of the groundwater and explosive gas monitoring reports shall be maintained in the operating record.

- 4. Availability, Retention, and Disposition of Records
 - a. All records, including plans, required under this permit or Division 13 must be furnished upon request, and made available at reasonable times for inspection by any officer, employee, or representative of the Department.
 - b. All records, including plans, required under this permit or Division 13 shall be retained by the Permittee for a period of at least three years. The retention period for all records is extended automatically during the course of any unresolved enforcement action regarding the facility, or as requested by the Department.
 - c. A copy of records of waste disposal locations and quantities must be submitted to the Department and local land authority upon closure of the facility.

I. Documents to be Maintained by the Permittee

The Permittee shall maintain the Operating Record and Approved Closure Plan (dated: April 10, 2009) at the Theodore Landfill office, until an engineer certifies closure of the permitted landfill.

J. Mailing Location

All reports, notifications, or other submissions which are required by this permit should be sent via signed mail (i.e. certified mail, express mail delivery service, etc.) or hand delivered to:

Mailing Address. Chief, Solid Waste Branch, Land Division Alabama Department of Environmental Management P.O. Box 301463 Montgomery, AL 36130-1463

Physical Address.
Chief, Solid Waste Branch, Land Division
Alabama Department of Environmental Management
1400 Coliseum Blvd.
Montgomery, Alabama 36110-2059

K. Signatory Requirement

All applications, reports or information required by this permit, or otherwise submitted to the Department, shall be signed and certified by the owner as follows:

- 1. If an individual, by the applicant.
- 2. If a city, county, or other municipality or governmental entity, by the ranking elected official, or by a duly authorized representative of that person.
- 3. If a corporation, organization, or other legal entity, by a principal executive officer, of at least the level of Vice President, or by a duly authorized representative of that person.

L. Confidential Information

The Permittee may claim information submitted as confidential if the information is protected under <u>Code of Alabama</u> 1975 §§ 22-39-18, as amended.

M. State Laws and Regulations

Nothing in this permit shall be construed to preclude the initiation of any legal action or to relieve the Permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

SECTION II. GENERAL OPERATING CONDITIONS

A. Operation of Facility

The Permittee shall operate and maintain the disposal facility consistent with the Application, this permit, and ADEM Admin. Code Division 13.

B. Open Burning

The Permittee shall not allow open burning without prior written approval from the Department and other appropriate agencies. A burn request should be submitted in writing to the Department outlining why that burn request should be granted. This request should include, but not be limited to, specifically what areas will be utilized, types of waste to be burned, the projected starting and completion dates for the project, and the projected days and hours of operation. The approval, if granted, shall be included in the operating record.

C. Prevention of Unauthorized Disposal

The Permittee shall follow the approved procedures for the detecting and preventing the disposal of free liquids, regulated hazardous waste, PCB's, and medical waste at the facility.

D. Unauthorized Discharge

The Permittee shall operate the disposal facility in such a manner that there will be no water pollution or unauthorized discharge. Any discharge from the disposal facility or practice thereof may require a National Pollutant Discharge Elimination System permit under the Alabama Water Pollution Control Act.

E. Industrial Waste Disposal

The Permittee shall not dispose of industrial waste at this landfill. Only wastes shown in Section III.B. are allowed for disposal in this landfill.

F. Boundary Markers

The Permittee shall ensure that the facility is identified with a sufficient number of permanent boundary markers that are at least visible from one marker to the next.

SECTION III. SPECIFIC REQUIREMENTS FOR C/D WASTE LANDFILLS

A. Waste Identification and Management

- Subject to the terms of this permit, the Permittee may dispose of the nonhazardous solid wastes listed in III. B. Disposal of any other wastes is prohibited, except waste granted a temporary or one time waiver by the Director.
- 2. The total permitted area for the Theodore Landfill is 27.11 acres with the disposal area comprising of approximately 15.00 acres.
- 3. The maximum average daily volume of waste disposed at the facility shall not exceed 572 cubic yards/day, except as provided under Rule 335-13-5-.06(2)(a)5. The average daily volume shall be computed as specified by Rule 335-13-5-.06(2)(a)5.(i).

B. Waste Streams

The Permittee may accept for disposal non-putrescible and non-hazardous construction and demolition waste and rubbish as defined by ADEM Rule 335-13-1-.03, scrap tires; and water based drilling mud & drill cuttings from ETT.

C. Service Area:

The Permittee is allowed to receive for disposal waste from Baldwin and Mobile Counties in Alabama.

D. Waste Placement, Compaction, and Cover

All waste shall be confined to an area as small as possible and placed onto an appropriate slope not to exceed 4 to 1 (25%). All waste shall be spread in layers two feet or less in thickness and compacted weekly with adequate landfill equipment prior to placing additional layers of waste or placing the weekly cover. A minimum of six inches of compacted earth or other alternative cover material shall be added at the conclusion of each week's operation.

As the part of Revised Final Closure Plan (dated: April 10, 2009) a permission is granted to fill areas previously occupied by power transmission lines within the site's original permitted boundary to the final fill elevations.

E. Liner Requirements

The Permittee shall not be required to install a composite liner system at this time. The base of the landfill shall be a minimum of five (5) feet above the temporal fluctuation of the groundwater table.

F. Security

The Permittee shall provide artificial and/or natural barriers, which prevent entry of unauthorized vehicular traffic to the facility.

G. All Weather Access Roads

The Permittee shall provide an all-weather access road to the dumping face that is wide enough to allow passage of collection vehicles.

H. Adverse Weather Disposal

The Permittee shall provide for disposal activities in adverse weather conditions.

I. Personnel

The Permittee shall maintain adequate personnel to ensure continued and smooth operation of the facility.

J. Environmental Monitoring and Treatment Structures

The Permittee shall provide protection and proper maintenance of environmental monitoring and treatment structures.

K. Vector Control

The Permittee shall provide for vector control as required by ADEM Admin. Code Division 13.

L. Bulk or Noncontainerized Liquid Waste

The Permittee shall not dispose of bulk or noncontainerized liquid waste, or containers capable of holding liquids, unless the conditions of Rule 335-13-4-.23(1)(j) are met.

M. Empty Containers

Empty containers larger than 10 gallons in size must be rendered unsuitable for holding liquids prior to disposal in the landfill unless otherwise approved by the Department.

N. Other Requirements

The Department may enhance or reduce any requirements for operating and maintaining the landfill as deemed necessary by the Land Division.

O. Other Permits

The Permittee shall operate the landfill according to this and any other applicable permits.

P. Scavenging and Salvaging Operations

The Permittee shall prevent scavenging and salvaging operations, except as part of a controlled recycling effort. Any recycling operation must be in accordance with plans submitted and approved by the Department.

Q. Signs

If the landfill is available to the public or commercial haulers, the Permittee shall provide a sign outlining instructions for use of the site. The sign shall be posted and have the information required by Rule 335-13-4-.23(1)(f).

R. Litter Control

The Permittee shall control litter.

S. Fire Control

The Permittee shall provide fire control measures.

SECTION IV. GROUNDWATER MONITORING REQUIREMENTS

- A. The Permittee shall install and/or maintain a groundwater monitoring system, as specified below.
 - 1. The permittee shall maintain the groundwater monitoring wells and piezometers identified in Table IV.1. at the locations specified in the Application, and any other groundwater monitoring wells which are added (Section IV.,A.,3.) during the active life and the post closure care period.
 - 2. The Permittee shall maintain groundwater monitoring well MW-1 as the background groundwater monitoring wells for the entire facility.
 - 3. The Permittee shall install and maintain additional groundwater monitoring wells as necessary to assess changes in the rate and extent of any plume of contamination or as otherwise deemed necessary to maintain compliance with the ADEM Admin. Code.
 - 4. Prior to installing any additional groundwater monitoring wells, the Permittee shall submit a report to the Department with a permit modification request specifying the design, location and installation of any additional monitoring wells. This report shall be submitted within ninety (90) days prior to the installation which, at a minimum, shall include.
 - a. Well construction techniques including proposed casing depths, proposed total depth, and proposed screened interval of well(s);
 - b. Well development method(s);
 - c. A complete analysis of well construction materials;
 - d. A schedule of implementation for construction; and
 - e. Provisions for determining the lithologic characteristics, hydraulic conductivity and grain-size distribution for the applicable aquifer unit(s) at the location of the new well(s).

B. Groundwater Monitoring Requirements

- 1. The Permittee shall determine the groundwater surface elevation at each monitoring well and piezometer identified in Table IV.1. each time the well or piezometer is sampled and at least semi-annually throughout the active life and post-closure care period.
- 2. The Permittee shall determine the groundwater flow rate and direction in the first zone of saturation at least annually or each time groundwater is sampled and submit as required by ADEM Admin. Code Division 13.
- 3. Prior to the initial receipt of waste at the facility, the Permittee shall sample, and analyze for the parameters listed in Appendix I of Rule 335-13-4-.27, and/or any other parameters specified by the Department, all monitoring wells identified in Section IV.,A.,2. to establish background water quality and/or as directed by Rule 335-13-4-.27(2)(j) and 335-13-4-.27(2)(a)(1). The records and results of this sampling and analysis activity shall be submitted to the Department, within sixty (60) days of the date of sampling.
- 4. The Permittee shall sample, and analyze all monitoring wells identified in Table IV.1 for the parameters listed in Appendix I of Rule 335-13-4-.27(3), and/or any other parameters specified by the Department on a semi-annual basis throughout the active life of the facility and the post-closure care period in accordance with Rule 335-13-4-.27(3). Sampling shall be conducted during March and September of each year, beginning with the effective date of this permit.
- 5. In addition to the requirements of Section IV., B.,1., B.,2., B.,3. and B.,4., the Permittee shall record water levels, mean sea level elevation measuring point, depth to water, and the results of field tests for pH and specific conductance at the time of sampling for each well.

C. Sampling and Analysis Procedures

The Permittee shall use this techniques and procedures when obtaining and analyzing samples from the groundwater monitoring wells described in Section IV.,A. to provide a reliable indication of the quality of the groundwater.

- 1. Samples shall be collected, preserved, and shipped (when shipped off-site for analysis) in accordance with the procedures specified in the Application. Monitoring wells shall be bailed or pumped to remove at least three to five times the well volume of water. Slow recharge wells shall be bailed until dry. Wells shall be allowed to recharge prior to sampling.
- 2. Samples shall be analyzed according to the procedures specified of the Application, Standard Methods for the Examination of Water and Wastewater (American Public Health Association, latest edition), Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020), Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (EPA Publication SW-846, latest edition), or other appropriate methods approved by this Department. All field tests must be conducted using approved EPA test kits and procedures.
- 3. Samples shall be tracked and controlled using the chain-of-custody and QA\QC procedures specified of the Application.

D. Recordkeeping and Reporting Requirements

1. Recording of Results

For each sample and/or measurement taken pursuant to the requirements of this permit, the Permittee shall record the information required by Section I.,E.,9.,c.

2. Recordkeeping

Records and results of all groundwater monitoring, sampling, and analysis activities conducted pursuant to the requirements of this permit shall be included in the operating record required by Section I.,I.,1.

E. Permit Modification

If at any time the Permittee or the Department determines that the groundwater monitoring system no longer satisfies the requirements of 335-13-4-.14 or Section IV.,A. of this permit, the Permittee must, within 90 days, submit an application for a permit modification to make any necessary and/or appropriate changes to the system.

an an	TABLE IV.1.			
GR	OUNDWATER MONITORING WE	LLS		
Monitoring	Top of Casing (PVC)	Part		
Well Number	(feet msl)	Monitoring		
I The City		CORDIG WELL		
UPGRADIENT/BACKGROUND MONITORING WELL				
MW-1	161.2	Entire Landfill		
	DOWNGRADIENT MONITORING	G WELLS		
MW-2R	150.12	Entire Landfill		
MW-3	163.60	Entire Landfill		
MW-4	151.61	Entire Landfill		

SECTION V. GAS MONITORING REQUIREMENTS

A. The permittee shall design, construct, and operate the facility so as to control and monitor the generation and emission of explosive gases (such as methane), and so as to prevent said gases from collecting in, or around structures at concentrations exceeding the limits imposed by this permit.

B. Systems and Equipment

The Permittee shall provide, install, and maintain gas monitoring and/or recovery systems and equipment.

C. Concentration Limits

The Permittee shall prevent explosive gases from exceeding:

- 1. The lower explosive limit at the facility boundary.
- 2. Twenty-five percent (25%) of the lower explosive limit in any facility structure other than those that are components of the gas control and/or recovery system.

D. Gas Monitoring Program

- 1. The Permittee shall monitor explosive gases at the facility. The gas monitoring program shall monitor explosive gas concentrations in the atmosphere, in the soil, and inside all structures at the facility, including but not limited to buildings, under bridges, and any other location which is conducive to gas accumulation. Gas monitoring data shall be included in the operating record and be made available to the Department during inspections and at other times upon request.
- 2. The Permittee shall conduct the gas monitoring at least once in each calendar year. The Permittee shall submit a report to the Department within thirty (30) days after each monitoring event documenting the levels of explosive gases measured at the facility.
- 3. In the event that explosive gas levels exceed, at any time, the limits specified in this permit, the Permittee shall:
 - a. Immediately take all necessary steps to ensure immediate protection of human health and property.
 - b. Immediately notify the Department of the explosive gas levels detected and the immediate steps taken to protect human health and property.
 - c. Within twenty (20) days, submit to the Department for approval a remedial plan for the explosive gas releases. This plan shall describe the nature and extent of the problem and the proposed remedy. The plan shall be implemented upon approval by the Department, but within sixty (60) days of detection. Within the sixty (60) days the plan shall be placed in the operating record of the facility and the Department notified that the plan has been implemented.
- 4. Monitoring points for the measurement of explosive gas concentrations in the soil and/or atmosphere shall be located along the landfill boundaries and shall be spaced no more than 300 feet apart. In areas where the landfill boundary is within 1000 feet of a structure, the monitoring points shall be not more than 100 feet apart.

SECTION VI. SURFACE WATER MANAGEMENT REQUIREMENTS

The Permittee shall construct and maintain run-on and run-off control structures to control the discharge of pollutants in stormwater. Any discharges from drainage control structures shall be permitted through a discharge permit issued by the ADEM.

As a part of Revised Final Closure Plan (dated: April 10, 2009) the Permittee shall construct and operate a sedimentation pond (Sedimentation Pond # 1) at the Northwest corner of the landfill boundary.

SECTION VII. CLOSURE AND POST-CLOSURE REQUIREMENTS

The Permittee shall close the landfill and perform post-closure care of the landfill in accordance with Division 13.

A. Final Cover

The Permittee shall grade final soil cover such that surface water does not pond over the permitted area as specified in the Application. The final cover system shall comply with ADEM Admin. Code Division 13 and Revised Final Closure Plan (dated: April 10, 2009).

The Permittee shall cease all operations on or before December 31, 2009.

As the part of the Revised Final Closure Plan (dated: April 10, 2009), Integrated Waste Services, LLC is granted variance for variable fill slopes through out the inactive areas of the Theodore Landfill.

A variance is granted for 3 to 1 final cover slope on the currently active portions of the landfill.

B. Vegetative Cover

The Permittee shall begin final grading as per Revised final Closure Plan (dated: April 10, 2009) on February 1, 2010.

The Permittee shall establish a vegetative or other appropriate cover within 90 days after completion of final grading requirements in the Application. Preparation of a vegetative cover shall include, but not be limited to, the placement of seed, fertilizer, mulch, and water.

C. Notice of Intent

The Permittee shall place in the operating record and notify the Department of their intent to close the landfill prior to beginning closure.

D. Completion of Closure Activities

The Permittee must complete closure activities of each landfill unit in accordance with the Closure Plan within 180 days of the last known receipt of waste (on or before June 30, 2010).

E. Certification of Closure

Following closure of each unit, the Permittee must submit to the Department a certification, signed by an engineer, verifying the closure has been completed according to the Closure Plan.

F. Post-Closure Care Period

Post-closure care activities shall be conducted after closure of each unit throughout the life of this permit and continuing for a period of thirty (30) years following closure of the facility. The Department may shorten or extend the post-closure care period applicable to the solid waste disposal facility. The Permittee shall reapply in order to fulfill the post-closure care requirements of this permit.

G. Post-Closure Maintenance

The Permittee shall provide post closure maintenance of the facility to include regularly scheduled inspections. This shall include maintenance of the cover, vegetation, monitoring devices and pollution control equipment and correction of other deficiencies that may be observed by ADEM. Monitoring requirements shall continue throughout the post closure period as determined by the Department unless all waste is removed and no unpermitted discharge to waters of the State have occurred.

H. Post-Closure Use of Property

The Permittee shall ensure that post closure use of the property never be allowed to disturb the integrity of the final cover, liner, or any other component of the containment system. This shall preclude the growing of deep-rooted vegetation on the closed area.

I. Certification of Post-Closure

Following post-closure of each unit, the Permittee must submit to the Department a certification, signed by an engineer, verifying the post-closure has been completed according to the Post-Closure Plan.

J. Notice in Deed to Property

The Permittee shall record a notation onto the land deed containing the property utilized for disposal within 90 days after permit expiration, revocation or when closure requirements are achieved as determined by the Department as stated in the Application. This notation shall state that the land has been used as a solid waste disposal facility, the name of the Permittee, type of disposal activity, location of the disposal facility and beginning and closure dates of the disposal activity.

K. Recording Instrument

The Permittee shall submit a certified copy of the recording instrument to the Department within 120 days after permit expiration, revocation, or as directed by the Department as described in the Application.

L. Removal of Waste

If the Permittee, or any other person(s), wishes to remove waste, waste residues, or any liner or contaminated soils, the owner must request and receive prior approval from the Department.

SECTION VIII. VARIANCES

The following variances are granted for Theodore Landfill:

- 1. As the part of the Revised Final Closure Plan (dated: April 10, 2009), Integrated Waste Services, LLC is granted variance for variable fill slopes through out the inactive areas of the Theodore Landfill. (see Section VII A)
- 2. A variance is granted for 3 to 1 final cover slope on the currently active portions of the landfill (see Section VII A)

Any variance granted by the Department may be terminated by the Department whenever the Department finds, after notice and opportunity for hearing, that the petitioner is in violation of any requirement, condition, schedule, limitation or any other provision of the variance, or that operation under the variance does not meet the minimum requirements established by state and federal laws and regulations or is unreasonably threatening the public health.

PRELIMINARY DETERMINATION

Permit Renewal & Modification Integrated Waste Services, LLC. 6785 Boykin Road Theodore, Alabama 36582

Theodore Landfill

May 3, 2009

The Integrated Waste Services, LLC has submitted to the Alabama Department of Environmental Management (ADEM) an application to renew & modify Solid Waste Disposal Permit No. 49-16 for the Theodore Landfill. The facility will continue with disposal operations until December 31, 2009, at which time disposal operations will cease and closure activities will commence. The modification of landfill involves keeping the slopes of the inactive areas of the landfill as is and filling an area located within the site's original permitted boundary and previously occupied by power transmission lines to the final fill elevations. The waste stream for the Theodore Landfill will remain non-putrescible and non-hazardous construction and demolition waste and rubbish as defined by ADEM Rule 335-13-1.03, scrap tires; and water based drilling mud & drill cuttings from ETT. The service area for the Theodore Landfill will remain as Baldwin and Mobile Counties in Alabama. The maximum average daily volume of waste disposed at the Theodore Landfill will remain as 572 cubic yards a day.

The Theodore Landfill is described as being located in Southwest ¼ of Section 32, Township 5 South, Range 2 West in Mobile County, Alabama. The permitted area for the Theodore Landfill consists of 27.11 acres with a disposal area of 15.00 acres.

The Solid Waste Branch has determined that the permit modification and renewal application complies with the requirements of ADEM's Administrative Code Division 13 regulations for a construction and demolition waste landfill.

Technical Contact:

Rao Malladi Solid Waste Branch Land Division

LANDFILL REVIEW FORM THEODORE LANDFILL MOBILE COUNTY 49-16

CERTIFIED MAIL RETURN RECEIPT REQUESTED

??????????????

Adjacent Landowner Theodore Landfill Mobile County, Alabama

RE: Notice of Proposed Renewal & Modification

Theodore Landfill Mobile County, Alabama Permit No. 49-16

Dear Landowner:

Enclosed is a copy of the Public Notice for ADEM's proposed issueance of a Solid Waste Disposal Facility Permit for the referenced landfill. This letter and public notice are being sent to you as required by the ADEM Solid Waste Regulations that state, "Landowners adjacent to a proposed landfill unit shall receive a copy of the public notice." If you wish to review the draft permit and permit application, please contact the Department's Permits and Services Division at (334) 271-7712 to schedule a file review. Alternatively, the documents are also available for public inspection electronically via the Department's website at http://www.adem.state.al.us/PublicNotice/PublicNotice.htm.

Should you have any questions of a technical nature, please contact Rao Malladi at (334) 270-5605.

Sincerely,

Phillip D. Davis, Chief Waste Programs Branch Land Division

PDD/rm

Enclosure: Public Notice